

Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Bid Number: B-24-0189 Purchase Request Number: 24-3252 06/23/2024 Date:

1 of 8 Page:

ITEM	QTY.	UNIT OF	DESCRIPTION	APPROVE	D BUDGET	BID F	PRICES
NO.	QIY.	ISSUE	DESCRIPTION	Unit Price	Total Amount	Unit Price	Total Amount
1	1.0	unit	Mobile Kitchen Facility	4,482,023.84	4,482,023.84		
			(BRANDNEW)				
			DIMENSIONS & WEIGHT: Over Length/Width/Height (mm): 5,935/2,035/2,505 Wheel Base (mm): 3,415 Wheel Thread (Front/Rear) (mm): 1,665/1,660 Cab to Rear Axle (C.A) (mm): 2,905 Cab to End Frame (C.E) (mm): 4,300 Min. Ground Clearance (mm): 210 Curb Weight (kg): 2,585 Payload (kg): 2,915 Gross Vehicle Weight (GVW) (kg): 5,500  ENGINE Type: Turbo-Intercooler, DOHC, Common-Rail Direct Injection, Diesel Engine Cylinders: 4 in-line Displacement: 2.9L - 3.0L Max. Power: 150hp -155hp / 3,500rpm Max. Torque (N-m/rpm): 370/ 1,320 Fuel Tank Capacity: (L): 100  TRANSMISSION				
			Drive System: 4x4 Type: 5 Forward, 1 Reverse M/T (Synchromesh T-type) Final Gear Ratio: 6.285  AXLE Front / Rear: Reverse Eliot "i" Beam / fully Floating				
			SUSPENSION Front: Laminated Leaf Springs with Shock Absorbers Rear: Laminated Leaf Springs with Shock Absorbers Shock Absorber (Front and Rear): Hydraulic Double Acting Telescopic				
			BRAKE Service: Drum Brake - Dual Circuit Parking: Internal Expanding Type on Propeller Shaft Auxiliary: Exhaust Brake TIRE & WHEEL				
			Tire (Single Front/Duel Rear): Singl, 7.50		4,482,023.84		

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO



Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Purchase Request Number: 24-3252 Bid Number: B-24-0189
Date: 06/23/2024

Page: 2 of 8

		1		Т		1	
ITEM	QTY.	UNIT OF	DESCRIPTION	APPROVE	ED BUDGET	BID F	PRICES
NO.	3	ISSUE	BESSIA TION	Unit Price	Total Amount	Unit Price	Total Amount
			R16-14PR Dual, 7.50R16-14PR Wheel: 16x6-127-9t 6 studs				
			STEERING Gear Type: Ball and Nut type with Integral type hydraulic power booster Power Steering: Equipped Steering Wheel Adjust: Tilt and Telescopic with steering lock				
			SAFETY Seatbelt: 3P ELR x 2 and 2P Lapbelt x1 Collapsible Steering Wheel: Equipped Cab Reinforcement: R.I.S.E (Reinforced Impact Safety Evolution) Front Box Structure Frame, Side Impact Beam, Reinforced Floor Main Sill, Box Structured Door. Anti-Lock Brake System (ABS): Equipped Electronic Brake Force Distribution (EBD): Equipped				
			ELECTRICAL SYSTEM  • Electrical System - 12V  • Battery - 115D31L  • COLOR: WHITE  • ACCESSORIES:  • Super winch 1618300 Talon 18 Winch  • Working Load - 14,000 lbs (6,350 kg) / 18,000 lbs (8,165 kg)  • Motor - Sealed, 5.2 hp (3.8 kW) / Sealed, 6.0 hp (4.48 kW)  • Gearing Ratio - 346:1  • Free spool Clutch - Pull and Turn  • Drum Diameter - 3.5" (88.9 mm)  • Installed Weight:  • 14.0: 170 lbs (58 kg)  • 145 lbs (65.7 kg)  • 18.0: 172 lbs (78 kg)  • 18.0: 172 lbs (78 kg)  • Switching Method - Sealed Handheld Controller  • Fairlead - 4-Way Roller (wire rope models)  • Aluminum - Hawse (synthetic rope models)  • Aluminum - Hawse (synthetic rope models)				
				GRAND TOTAL	4,482,023.84		

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO



Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Bid Number: B-24-0189 Purchase Request Number: 24-3252 06/23/2024 Date:

3 of 8 Page:

TTEM   OTY.   UNIT OF   SUE   DESCRIPTION   DESCRIPTION   Unit Price   Total Amount   Unit Price   Unit Pric							1	
Dual Function Technology (Freezer or Chiller)  - Dual Function Technology (Freezer or Chiller) - Class Cover Inside - Electronic Control - Galvanized Interior - ED Light - Resease Handle with Key lock - Register Handle with Key lock - General Specifications - Type Chest Freezer - Defrost System: Manual - Temperature Control: Electronic - Insulation: Cyclopentaine - Color: White - Power Requirements: 220v / 60Hz - Inverter Technology - Weight - Net Weight (kg): 28 kg - Gross Weight (kg): 28 kg - Dimensions - Net Dimensions (LxHxW): 27.5 in x 33.5 in x - 24.in - Customized Base Cabinet (LPG TANK) - Stainless Stell Pull-Out type for Tank Drawer - Storage - Convenient Storage - Mobile Kitchen LPG Tank Drawer Overall - Size: - Diameter - 120cm - Width - 16cm - The LPG Tank Drawer has a convenient pull out - design with roller feet, which makes it easy to - change your LPG tank - High-Grade Stainless Stell plated, Modern - Allioy - Handles - Finclosed Drawer Box and Soft-Closing - Drawer - Track - Durable in Conditions - All Drawers are Box Frame Design, - Selfiklimming' and Flush Mount style providing - a - streamlined, clean appearance - Safety locking system for the tank - Lockable door with heavy duty lock receiver - The door can be a left or right swinging - The door had holes that allowed visibility - inside		OTY		DESCRIPTION	APPROVE	ED BUDGET	BID F	PRICES
Chiller)  Glass Cover Inside  Electronic Control  Galvanized Interior  LED Light  Recessed Handle with Key lock  Roller feet  General Specifications  Type: Chest Freezer  Defrost System: Manual  Temperature Control: Electronic  Insulation: Cyclopentane  Color: White  Power Requirements: 220v / 60Hz  Inverter Technology Weight  Net Weight (kg): 29 kg  Gross Weight (lacked): 32 kg Dimensions  Net	NO.	Q	ISSUE	DESCRIPTION	Unit Price	Total Amount	Unit Price	Total Amount
				Chiller) Glass Cover Inside Electronic Control Galvanized Interior LED Light Recessed Handle with Key lock Roller feet General Specifications Type: Chest Freezer Defrost System: Manual Temperature Control: Electronic Insulation: Cyclopentane Color: White Power Requirements: 220v / 60Hz Inverter Technology Weight Net Weight (kg): 29 kg Gross Weight (packed): 32 kg Dimensions Net Dimensions (LxHxW): 27.5in x 33.5in x 24.in Customized Base Cabinet (LPG TANK) Stainless Steel Pull-Out type for Tank Drawer Storage Convenient Storage Mobile Kitchen LPG Tank Drawer Overall Size: Diameter - 120cm' Height - 132cm' Width - 16cm' The LPG Tank Drawer has a convenient pull-out design with roller feet, which makes it easy to change your LPG tank High-Grade Stainless Steel plated, Modern Alloy Handles Enclosed Drawer Box and Soft-Closing Drawer Track - Durable in Conditions All Drawers are Box Frame Design, "SelfRimming" and Flush Mount style providing a streamlined, clean appearance. Safety locking system for the tank. Lockable door with heavy duty lock receiver The door can be a left or right swing The door had holes that allowed visibility		Total Amount		Total Amount
GRAND TOTAL   4 482 023 84	$\vdash$		<del>                                     </del>		L GRAND TOTAL	4,482,023.84		

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO



Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Bid Number: B-24-0189 Purchase Request Number: 24-3252 06/23/2024 Date:

4 of 8 Page:

				Т		T	
ITEM	QTY.	UNIT OF	DESCRIPTION	APPROVE	ED BUDGET	BID F	PRICES
NO.	<u> </u>	ISSUE	DEGGINI TIGH	Unit Price	Total Amount	Unit Price	Total Amount
			the cabinet •Pre-drilled holes (13/16") for anchoring each foot pad.				
			Rice Steamer Machine Commercial Gas Rice Steamer and Rice Cooker 12 Trays (Kitchen Hero) •Stainless steel exterior and interior •Fit for 600x400mm food trays (12 trays included) •Cook up to 36kg of rice for 45 minutes •Built-in Temperature Gauge •Gas Consumption: 0.7 - 1kg/hour •Can also be used for steaming dim sum and vegetables •Dimensions: 680 x 660 x 1670mm Customized Stainless Steel Cooking Range with Burners •Fully customized cooking range heavy-duty (stainless steel) •Width (cm) - 60.96 •Height (cm) - 27.5 •Length (cm) - 126.02 •Burners Easy To Use LPG Heavy-Duty Cast-Iron Burner				
			Double Pipe Single Burner Powerful Stove for Outdoor Kitchen.  Type - Gas Cooktops High Pressures Application - Outdoor, Hotel, Commercial, Household Cooker Quantity - Single-cooker Cooktop Installation - Desktop & Embedded Type Power Source - Gas No. of Gas Burner - 2 Surface Material - Cast Iron Product name - Cast Iron Burner Ignition type - Automatic Ignition Gas Type - LPG Material - Cast Iron Size - 58*39*22cm Weight - 50kg				
				CDAND TOTAL	4 492 022 04		<u> </u>
				GRAND TOTAL	4,482,023.84	<u> </u>	<u> </u>

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO



Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Purchase Request Number: 24-3252 Bid Number: B-24-0189
Date: 06/23/2024

Page: 5 of 8

TTEM   NO.   OTY.   UNIT OF   SSUE   Protective device - Thickened fire balfle.   Unit Price   Total Amount   Un			т		T		T		
Protective device - Thickened fire baffle.  Customized Stainless Steel Kitchen Sink Made up of SUS304 Stainless Steel Comes with a Retractable Draining Basket Omes With Suspension State Office of State Offi		OTY		DESCRIPTION	APPROVE	ED BUDGET	BID PRICES		
Customized Stainless Steel Kitchen Sink  *Made up of SUS304 Stainless Steel  *Comes with a Retractable Draining Basket  *Amm Sink Thickness  *Kitchen Sink Depth: 18.5cm  *Comes with Complete Sink Accessories  *Kitchen Sink Stze:  W69.96xH83.82x1.726.02cm  *Durable and Long-lasting  *Easy to Clean  *Note: Faucet is Included.  Kitchen Chimney  La Germania Rangehood Stainless 90cm  N3902SS (2 Motor)  *Hood Mount Type - Under Cabinet  *Hood Features - Charcoal Filter, Grease Filter,  Speed Control, Washable Filter  *Air Flow - 380m*/h  *Input Voltage - 230 V  *Power Consumption - 330W  *Country of Origin - Italy  *Dimension (L x W x H) - 940x510x18.5  *Weight - 12.38g  *Stainless steel body  *3-speed push button control  *Washable aluminum grease filter  *170 m3/h max air capacity  *Extractor-type range hood  *125 w LED lamp  Customized Wall Hanging/Mounted Cabinet Fully Customized Stainless-Steel wall hanging/Mounted cabinet  *nine (9) shelves  *Fully assembled construction (heavy Duty)  *Seamless front face  *Product Type - Oustomizable  *Color - Silver  *Usage/Application - Mobile kitchen  *Material - Stainless Steel  *Weigh door type  *Fully welded construction  *Revit files and spec sheets available	NO.	QTT.	ISSUE	BEGGIAII HOIV	Unit Price	Total Amount	Unit Price	Total Amount	
Made up of SUS304 Stainless Steel  -Comes with a Retractable Draining Basket -3mm Shik Thickness -Kitchen Sink Depth: 18,5cm -Comes with Complete Sink Accessories -Kitchen Sink Size: -W60,95xH33,82xL126,02cm -Durable and Long-lasting -Easy to Clean -Note: Faucet is Included				Protective device - Thickened fire baffle.					
La Germania Rangehood Stainless 90cm N3902SS (2 Motor) +Hood Mount Type - Under Cabinet +Hood Features - Charcoal Filter, Grease Filter, Speed Control, Washable Filter •Air Flow - 380m³/h •Input Voltage - 230V •Power Consumption - 330W •Country of Origin - Italy •Dimension (L x W x H) - 940x510x18.5 •Weight - 12.3kg •Stainless steel body •3-speed push button control •Washable aluminum grease filter •Charcoal paper-type filter •170 m³/h max air capacity •Extractor-type range hood •125 watts motor •1.5W LED lamp				Made up of SUS304 Stainless Steel     Comes with a Retractable Draining Basket     3mm Sink Thickness     Kitchen Sink Depth: 18.5cm     Comes with Complete Sink Accessories     Kitchen Sink Size:     W60.96xH83.82xL126.02cm     Durable and Long-lasting     Easy to Clean					
GRAND TOTAL 4.482.023.84				La Germania Rangehood Stainless 90cm N3902SS (2 Motor)  Hood Mount Type - Under Cabinet Hood Features - Charcoal Filter, Grease Filter, Speed Control, Washable Filter Air Flow - 380m³/h Input Voltage - 230V Power Consumption - 330W Country of Origin - Italy Dimension (L x W x H) - 940x510x18.5 Weight - 12.3kg Stainless steel body -3-speed push button control Washable aluminum grease filter Charcoal paper-type filter 170 m3/h max air capacity Extractor-type range hood 125 watts motor 1.5W LED lamp					
					GRAND TOTAL	4,482.023.84			

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO



Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Purchase Request Number: 24-3252 Bid Number: B-24-0189
Date: 06/23/2024

Page: 6 of 8

		T		T		T		
ITEM	QTY.	UNIT OF		APPROVED BUDGET		BID PRICES		
NO.	<b>Q</b>	ISSUE	BESSIAI TISIA	Unit Price	Total Amount	Unit Price	Total Amount	
			•Type 300 series stainless steel •Sized LxHxW cm = 36.617x30.48x76.2 cm (per shelves)					
			•Surface Finishing —Polished •Drawer type •Fully welded construction •Revit files and spec sheets available •Type 300 series stainless steel • Sized LxHxW cm = 113.284x83.82x62.23 cm (will divided into 3 tiers drawer type cabinet)  PAINT WORK A. General Chassis and superstructure					
				GRAND TOTAL	4,482,023.84			
oxed		l		OUVUID TOTAL	7,702,023.04	]	L	

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO



Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Purchase Request Number: 24-3252 Bid Number: B-24-0189
Date: 06/23/2024

Page: 7 of 8

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO



Cabidianan, Nabunturan, Davao de Oro

# **TECHNICAL SPECIFICATIONS FORM**

Purchase Request Number: 24-3252 Bid Number: B-24-0189
Date: 06/23/2024

Page: 8 of 8

				\ DDD(\\/E	D BUDGET	BID E	PRICES
ITEM NO.	QTY.	UNIT OF	THE CODIDITION I				
			period, the winning bidder shall supply the filters for oil, Fuel, Air, Hydraulic and water separator element free of charge in accordance with the manufactures prescribe replacement interval. Free training for operator standard tools & early warning device and maintenance shall be made at the time of delivery of equipment. 5. Supplier must signify if items are available locally or still to be manufactured outside the Country. 6. Delivery on site at Provincial Capitol of Davao De Oro. 7. Free Labor up to 20,000km run or one (1) year whichever comes first. 8. For trucks, Provision of three (3) years LTO Registration and TPL Insurance. See Attached Design and other Specs.	Unit Price	4,482,023.84	Unit Price	Total Amount
			<u> </u>	CITAL TOTAL	1, 102,020.04		l

Purpose: FOR USE OF PLGU DDO PDRRMO DRRM ACTIVITIES

Delivery: PGSO